JOURNAL OF PALEONTOLOGY

INDEX TO VOLUME 11

AUTHOR INDEX

		No.	Page
1.	ALBRITTON, CLAUDE C., JR., Upper Jurassic and Lower Cretaceous Foraminifera from the Malone Mountains, Trans-Pecos, Texas	(1)	19
2.	———, and PHLEGER, FRED B., JR., Foraminiferal zonation of certain Upper Cretaceous clays of Texas	(4)	347
	See also Okulitch, Vladimir J., and Albritton, C. C.		
3.	BASSLER, R. S., The Paleozoic rugose coral family Paleocyclidae	(3)	189
	BERMUDEZ, P. J., see PARKER, F. L. and BERMUDEZ, P. J.		
4.	BERRY, CHARLES T., An ophiuran from the Byram marl (Oligocene) of Mississippi	(3)	235
	See also HOFFMEISTER, WILLIAM S., and BERRY, C. T.		
	BRAMKAMP, R. A., see DURHAM, J. WYATT		
5.	BRANSON, C. C., Stratigraphy and fauna of the Sacajawea formation, Mississippian, of Wyoming	(8)	650
	BROOM, ROBERT, see OLSON, E. C., and BROOM, R.		
6.	BUCK, JOHN B., A Miocene clam that lived in a barnacle shell	(7)	624
	CHURCH, C. C., see HANNA, G. D., and CHURCH, C. C.		
7.	CLARK, HUBERT LYMAN, A new Eocene sea-urchin from Albama	(3)	248
8.	CLINE, L. M., Blastoids of the Osage group, Mississippian: Part II. The genus *Cryptoblastus*	(8)	634
9.	COLLINS, R. LEE, Growth stages of Mexican Tertiary caecids	(1)	31
	COOPER, G. ARTHUR, see ULRICH, E. O., and COOPER, G. A.		
10.	CORYELL, H. N., *Textularia hockleyensis* var. *malkinae* Coryell and Embich, a new name for *Textularia hockleyensis* var. *panamensis* Coryell and Embich	(8)	714
11.	———, and EMBICH, JOHN R., The Tranquilla shale (upper Eocene) of Panama and its foraminiferal fauna	(4)	289
12.	DURHAM, J. WYATT, Gastropods of the family Epitoniidae from Mesozoic and Cenozoic rocks of the West Coast of North America, including one new species by F. E. Turner and one by R. A. Bramkamp	(6)	479
13.	———, *Operculina* in the Lower Tertiary of Washington	(4)	367
14.	ELIAS, MAXIM K., A new scorpion from the Pennsylvanian *Walchia* beds near Garnett, Kansas	(4)	335
15.	———, Stratigraphic significance of some Late Paleozoic fenestrate bryozoans	(4)	306
	ELLIS, A. D., JR., see GARRETT, J. B., and ELLIS, A. D., JR.		
	EMBICH, J. R., see CORYELL, H. N., and EMBICH, J. R.		
	FOSTER, C. L., see THOMPSON, M. L., and FOSTER, C. L.		
16.	FRITZ, MADELEINE A., *Multisolenia*, a new genus of Paleozoic corals	(3)	231
	FURNISH, W. M., See MILLER, A. K., and FURNISH, W. M.		
17.	GARRETT, J. B., and ELLIS, A. D., JR., Distinctive Foraminifera of the genus *Marginulina* from Middle Tertiary beds of the Gulf Coast	(8)	629
18.	GIRTY, GEORGE H., Three Upper Carboniferous gastropods from New Mexico and Texas (errata 5, p. 476)	(3)	202
19.	GRAVELL, DONALD W., and HANNA, MARCUS A., The *Lepidocyclina texana* horizon in the *Heterostegina* zone, upper Oligocene, of Texas and Louisiana	(6)	517
20.	HANNA, G. D., and CHURCH, C. C., Notes on *Marginulina vacavillensis* (Hanna)	(6)	530
	See also GRAVELL, D. W., and HANNA, M. A.		
21.	HANZAWA, SHOSHIRO, Notes on some interesting Cretaceous and Tertiary Foraminifera from the West Indies	(2)	110
22.	HAZEN, B. M., A fossil earthworm (?) from the Paleocene of Wyoming	(3)	250
23.	HEDBERG, H. D., Foraminifera of the Middle Tertiary Carapita formation of northeastern Venezuela	(8)	661
24.	HENBEST, LLOYD G., Keriothecal wall-structure in *Fusulina* and its influence on fusuline classification	(3)	212

	No.	Page
25. HOFFMEISTER, WILLIAM S., and BERRY, CHARLES T., A new genus of Foraminifera from the Miocene of Venezuela and Trinidad	(1)	29
26. HOWE, HENRY V., Large oysters from the Gulf Coast Tertiary	(4)	355
27. IMLAY, RALPH W., Lower Neocomian fossils from the Miquihuana region, Mexico	(7)	552
28. JAMES, MAURICE T., A preliminary review of certain families of Diptera from the Florissant Miocene beds	(3)	241
29. JOHNSTON, C. STUART, Notes on the craniometry of *Equus scotti* Gidley	(5)	459
30. KELLETT, BETTY, Carboniferous ostracodes (a correction)	(1)	80
KEROHER, R. P., see NEWELL, N. D., and KEROHER, R. P.		
31. KIRK, EDWIN, *Eupachycrinus* and related Carboniferous crinoid genera	(7)	598
32. KNIGHT, J. BROOKES, *Conchopeltis* Walcott, an Ordovician genus of the Conulariidae	(3)	186
33. ———, Genotype designations and new names for invalid homonyms among Paleozoic gastropod genera	(8)	709
34. LAUDON, L. R., New occurrence of the Upper Carboniferous crinoid genera *Amphicrinus* and *Synerocrinus*	(8)	706
35. MCGREW, PAUL O., The genus *Cynarctus*	(5)	444
MALOTT, C. A., see PAYNE, KENNETH ARMSTRONG		
36. MANSFIELD, W. C., New mollusks from the Choctawhatchee formation of Florida	(7)	608
37. MILLER, A. K., and FURNISH, W. M., Ordovician cephalopods from the Black Hills, S. Dak.	(7)	535
38. ———, and OWEN, JOHN BRITTS, A new Pennsylvanian cephalopod fauna from Oklahoma	(5)	403
39. NEWELL, NORMAN D., and KEROHER, RAYMOND P., The fusulinid, *Wedekindellina*, in Mid-Pennsylvanian rocks of Kansas and Missouri	(8)	698
40. OKULITCH, VLADIMIR J., Some changes in nomenclature of Archaeocyathi (Cyathospongia)	(3)	251
41. ———, and ALBRITTON, CLAUDE C., JR., *Malonophyllum*, a new tetracoral from the Permian of Texas	(1)	24
42. OLSON, EVERETT CLAIRE, and BROOM, ROBERT, New genera and species of tetrapods from the Karroo beds of South Africa	(7)	613
43. OMAN, PAUL W., Fossil Hemiptera from the Fox Hills sandstone (Cretaceous) of Colorado	(1)	38
OWEN, JOHN B., see MILLER, A. K., and OWEN, J. B.		
44. PARKER, F. L., and BERMUDEZ, P. J., Eocene species of the genera *Bulimina* and *Buliminella* from Cuba	(6)	513
45. PAYNE, KENNETH ARMSTRONG, Pennsylvanian Ostracoda from Sullivan County, Indiana	(4)	276
46. PECK, RAYMOND E., Morrison Charophyta from Wyoming	(2)	83
47. PHLEGER, FRED B., JR., Further notes on the Lichadacea	(3)	253
See also ALBRITTON, C. C., JR., and PHLEGER, F. B., JR.		
48. POPENOE, WILLIS PARKISON, Upper Cretaceous Mollusca from southern California	(5)	379
49. RATHBUN, MARY J., Cretaceous and Tertiary crabs from Panama and Colombia	(1)	26
50. RAW, FRANK, Systematic position of the Olenellidae (Mesonacidae)	(7)	575
51. REINHART, PHILIP W., Cretaceous and Tertiary pelecypods of the Pacific Slope incorrectly assigned to the family Arcidae	(3)	169
52. ———, Three new species of the pelecypod family Arcidae from the Pliocene of California	(3)	181
53. RESSER, CHARLES E., Elkanah Billings' Lower Cambrian trilobites and associated species	(1)	43
54. ———, New species of Cambrian trilobites of the family Conocoryphidae	(1)	39
RICHARDS, H. G., see WHITCOMB, LAWRENCE, and RICHARDS, H. G.		
55. ROBERTSON, GEO. M., Anaspida from the Ludlow of Oesel	(3)	256
56. SCOTT, GAYLE, Ammonites of the genera *Sonneratia* and *Douvilleiceras* from the Cretaceous of Colombia	(1)	34
57. SIMPSON, GEORGE GAYLORD, *Unuchinia*, new name for Apator Simpson, not Semenow	(1)	78
58. STANTON, T. W., The genotype of *Mortoniceras* Meek	(5)	456
59. STAUFFER, CLINTON R., A diminutive fauna from the Shakopee dolomite (Ordovician) at Cannon Falls, Minn.	(1)	55

		No.	Page
60.	———, Mollusca from the Shakopee dolomite (Ordovician) at Stillwater, Minn.	(1)	61
61.	STEPHENSON, MORTON B., Middle Tertiary Ostracoda of the genus *Cytheridea*.	(2)	145
62.	STEWART, GRACE A., *Aechmina crenulata*, new name for *Aechmina serrata* Stewart, not Coryell and Cuskley	(4)	68
63.	STOVALL, J. WILLIS, *Euceratherium bizzelli*, a new ungulate from Oklahoma	(5)	450
64.	STUMM, ERWIN C., The Lower Middle Devonian tetracorals of the Nevada limestone	(5)	423
65.	THIADENS, A. A., Cretaceous and Tertiary Foraminifera from southern Santa Clara province, Cuba	(2)	91
66.	Thomas, Horace D., *Plicatoderbya*, a new Permian brachiopod subgenus	(1)	13
67.	THOMPSON, M. L., Fusulinids of the subfamily Schubertellinae	(2)	118
68.	———, and FOSTER, C. L., Middle Permian fusulinids from Szechuan, China	(2)	126
69.	TOLMACHOFF, I. P., *Cooperatia*, new name for *Cooperia* Tolmachoff, not Ransom	(1)	78
	TURNER, F. E., see DURHAM, J. WYATT		
70.	ULRICH, EDWARD O., and COOPER, G. ARTHUR, *Cambrotrophia*, new name for *Eostrophia* Ulrich and Cooper, not Dall	(1)	78
71.	VAUGHAN, THOMAS WAYLAND, Marshall Avery Howe	(4)	368
72.	VERMUNT, L. W. J., Cretaceous rudistids of Pinar del Rio province, Cuba	(4)	261
73.	VOKES, H. E., Nautiloid cephalopods from the Eocene of California (errata 3, p. 257)	(1)	3
74.	———, The gastropod genus *Harpa* in the Eocene of western United States	(1)	10
75.	WARREN, P. S., An Aptian horizon in the Cretaceous of the Lower Mackenzie Valley	(1)	69
76.	WEIKERT, ROSALIE, Bibliography of papers by Marshall Avery Howe on calcareous algae	(4)	369
77.	WELLER, J. MARVIN, Evolutionary tendencies in American Carboniferous trilobites	(4)	337
78.	WELLS, JOHN W., New genera of Mesozoic and Cenozoic corals	(1)	73
79.	WEST, C. D., Note on the crystallography of the echinoderm skeleton	(5)	458
80.	WHITCOMB, LAWRENCE, and RICHARDS, HORACE G., A fossiliferous marine clay near Yamouth, Maine	(3)	252
81.	WILLARD, BRADFORD, *Taeniaster* in Pennsylvania	(7)	620
82.	WILLIAMS, LOU, A study of *Neuropteris schlehani* Stur	(5)	462

SUBJECT INDEX

(Numbers given in following index refer to papers as listed in foregoing author index.)

Africa: Karroo tetrapods (42).
Alabama: Tertiary echinoid (7); Tertiary ostracodes (61).
Algae: bibliography (76).
Anaspida: Silurian, Oesel (55).
Annelida: Mississippian, Wyoming (5).
Aptian: Cretaceous, Lower Mackenzie Valley (75).
Archaeocyathi (Cyathospongia): (40).

Blastoids: Mississippian (8).
Brachiopods: *Plicatoderbya* (66); *Cambrotrophia* (70); Mississippian, Wyoming (5); Permian (66); Cretaceous, Mexico (27).
British Columbia: pelecypods, Cretaceous, Tertiary (51).
Bryozoans: Mississippian, Wyoming (5); Late Paleozoic, stratigraphic significance (15).
By-laws, Society of Economic Paleontologists and Mineralogists, vol. 4, p. 374.

California: Mollusca, Cretaceous (48); pelecypods, Arcidae, Cretaceous, Tertiary (51); Arcidae, Pliocene (52); gastropods, Epitoniidae, Mesozoic, Cenozoic (12), *Harpa*, Eocene (74); cephalopods, Eocene (73).
Cambrian: trilobites (50, 53, 54); Olenellidae (50); Conocoryphidae (54).
Canada: Aptian horizon, Cretaceous Mackenzie Valley (75).
Carboniferous: see crinoids, gastropods, trilobites, ostracodes.
Cenozoic: corals (78); gastropods, Epitoniidae (12).
Cephalopods: Ordovician, South Dakota (37), Minnesota (59, 60); Pennsylvanian, Oklahoma (38); Cretaceous, *Mortoniceras* (58), Canada (75), Colombia (56), Mexico (27); Tertiary, California (73).

Charophytes: Morrison, Wyoming (46).
China: Permian fusulinids (68).
Colombia: Cretaceous ammonites (56); Cretaceous crab (49).
Colorado: Insects, Cretaceous (43), Tertiary (28).
Conchopeltis: Ordovician conularid (32).
Conocoryphidae: Cambrian (54).
Constitution, Society Economic Paleontologists and Mineralogists, vol. 4, p. 373.
Conularid: *Conchopeltis*, Ordovician (32).
Cooperatia: new name for *Cooperia* (69).
Corals: Paleozoic, Paleocyclidae (3), *Multisolenia* (16); Devonian, Nevada (64); Permian, *Malonophyllum*, Texas (41); Mesozoic and Recent (78).
Cretaceous: Foraminifera, Cuba (65), Texas (1, 2), West Indies (21); rudistics, Cuba (72); Mollusca, California (48); brachiopods, Mexico (27); pelecypods, so-called Arcidae (51), Mexico (27); cephalopods, Colombia (56), Mexico (27); crabs, Colombia (49); insects, Colorado (43); Aptian horizon, Mackenzie Valley (75).
Crinoids: Carboniferous, *Eupachycrinus* (31), *Amphicrinus*, *Synerocrinus* (34).
Crustaceans: crabs, Cretaceous and Tertiary (49).
Cryptoblastus: blastoid, Mississippian (8).
Cuba: Foraminifera, Cretaceous, Tertiary (65), Eocene (44); rudistids, Cretaceous (72).
Cynarctus: (35).
Cytheridea: Tertiary, Gulf Coast (61).

Devonian: corals, Nevada (64).
Diptera: Miocene, Colorado (28).
Douvilleiceras: Cretaceous, Colombia (56).

Echinoderms: Mississippian, Wyoming (5); crystallography of skeleton (79). (See blastoids, crinoids, echinoids, ophiuroids).
Echinoids, Eocene, Alabama (7).
Eocene: (see Foraminifera, echinoids, gastropods, cephalopods).
Epitoniidae: gastropods, Mesozoic, Cenzoic (12).
Equus scotti: craniometry (29).
Euceratherium bizzelli: ungulate, Oklahoma (63).
Eupachycrinus: crinoid, Carboniferous (31).

Florida: Choctawhatchee mollusks (36).
Florissant: Miocene, Diptera (28).
Foraminifera: Carboniferous, *Fusulina* (24), Schubertellinae (67), *Wedekindellina*, Kansas, Missouri (39); Permian (67), China (68); Jurassic, Cretaceous, Texas (1); Cretaceous, Tertiary, Cuba (65), Texas (2), West Indies (21); Tertiary, Eocene, *Bulimina*, *Buliminella*, Cuba (44), Panama(10, 11), *Marginulina*, Gulf Coast (17), *Marginulina vacavillensis* (20), Miocene, Venezuela, Trinidad (25), *Operculina*, Washington (13), Venezuela (23), Oligocene, *Lepidocyclina texana* in *Heterostegina* zone, Texas, Louisiana (19).
Fucoid: Ordovician, Minnesota (60).
Fusulinids: see Foraminifera.

Gastropods: Paleozoic (33); Ordovician, Minnesota (59, 60); Mississippian, Wyoming (5); Carboniferous, New Mexico, Tertiary (18); Cretaceous, California (48); Eocene, *Harpa* (74); Miocene, Florida (36); Mesozoic and Cenozoic, West Coast (12); Tertiary, Mexico (9).
Gulf Coast: oysters (26).

Harpa: Eocene (74).
Hadyden Branch: Indiana (45).
Hemiptera: Cretaceous, Colorado (43).
Heterostegina: Oligocene, Texas, Louisiana (19).
Howe, Marshall Avery: (71).

Indiana: Pennsylvanian ostracodes (45).
Insects: Hemiptera, Cretaceous, Colorado (43): Diptera, Miocene, Colorado (28).
Iowa: blastoids, Mississippian (8).

Jurassic: Foraminifera, Texas (1).

Kansas: Pennsylvanian, fusulinid *Wedekindellina* (39), scorpion (14).
Karroo: tetrapods, South Africa (42).

Labrador: Cambrian trilobites (53).
Lepidocyclina texana: Oligocene, Texas, Louisiana (19).
Lichadacea: (47).
Louisiana: Foraminifera, *Lepidocyclina texana*, Oligocene (19), *Marginulina*, Tertiary (17); ostracodes, *Cytheridea*, Tertiary (61).

Maine: (80).
Malonophyllum: coral, Permian, Texas (41).
Mammals: *Cynarctus*, Miocene (35); *Equus scotti*, craniometry (29); *Euceratherium bizzelli*, ungulate, Oklahoma (63); *Unuchinia*, Paleocene (57).
Marginulina: Tertiary, Gulf Coast (17); *vacavillensis* (20).
Mesozoic: see Charophyta, Foraminifera, corals, gastropods.
Mexico: Cretaceous fossils (27); Tertiary caecids (9).
Minnesota: Ordovician fauna (59, 60).
Miocene: see Foraminifera, pelecypods, insects, mammals.
Mississippi: Tertiary, Ostracodes, *Cytheridea* (61); Oligocene, ophiuran (4).
Mississippian: blastoids, *Cryptoblastus* (8); Wyoming (5).
Missouri: Pennsylvanian fusulinid *Wedekindellina* (39); Mississippian blastoids (8).
Mortoniceras: genotype (58).
Multisolenia: Paleozoic corals (16).

Murphys Bluff: Pennsylvanian formation, Indiana (45).
Nebraska: *Cynarctus* (35).
New Mexico: gastropods, Carboniferous (18).
Norway: Anaspida, Ludlow (55).
Neuropteris schlehani: (82).
Nevada: tetracorals, Devonian (64).

Oklahoma: Carboniferous crinoids *Amphicrinus, Synerocrinus* (34); Pennsylvanian cephalopod (38); ungulate, *Euceratherium bizzelli* (63).
Olenellidae: (50).
Oligocene: see Foraminifera, ophiuran.
Operculina: Tertiary, Washington (13).
Ophiuran: Oligocene, Mississippi (4).
Ordovician: see conularid, fucoid, gastropods, cephalopods, trilobites, stelleroid.
Oregon: Gastropods, Mesozoic, Cenozoic (12).
Osage: blastoids, *Cryptoblastus* (8).
Ostracodes: *Aechmina crenulata* (62), *Cooperatia* (69); *Cytheridea* (61); Mississippian, Wyoming (5); Pennsylvanian, Indiana (45); Carboniferous (30); Tertiary, *Cytheridea* (61).
Oysters: Tertiary, Gulf Coast (26).

Paleocene: earthworm, Wyoming (22).
Paleocyclidae: Paleozoic corals (3).
Paleozoic: see corals, bryozoans, gastropods.
Panama: Foraminifera, Eocene (10, 11); crabs, Tertiary (49).
Pelecypods: Mississippian, Wyoming (5); Cretaceous, California (48), Mexico (27); Cretaceous and Tertiary, so-called Arcidae (51), Gulf Coast (26); Miocene, Florida (36); Pliocene, Arcidae, California (52); living in barnacle (6).
Pennsylvanian: see Foraminifera, cephalopods, ostracodes, stelleroid, scorpion.
Permian: see Foraminifera, corals, brachiopods.
Plants: Charophyta, Wyoming (46); *Neuropteris schlehani* (82).
Pleistocene: Maine (8). (See Mammals.)
Plicatoderbya: Permian brachiopod (66).
Pliocene: pelecypod Arcidae, California (52).

Reptiles: Karroo tetrapods, South Africa (42).
Rudistids: Cretaceous, Cuba (72).

Schubertellinae: fusulinids (67).
Scorpion: Pennsylvanian, Kansas (14).
Sonneratia: Cretaceous, Colombia (56).
South Dakota: Ordovician cephalopods (37).
Sponges: Mississippian, Wyoming (5); Archaeocyathi (Cyathospongia) (40).
Stelleroid: Ordovician, Pennsylvania (81).
Synerocrinus: Carboniferous crinoid (34).

Taeniaster: Ordovician, Pennsylvania (81).
Tertiary: see Foraminifera, ophiuran, pelecypods, gastropods, ostracodes, crab.
Tetrapods: Karroo, South Africa (42).
Texas: Jurassic and Cretaceous (1), Cretaceous (2), Oligocene, *Lepidocyclina texana* (19), Tertiary, *Marginulina* (17); coral, Malonophyllum, Permian (41); gastropod, Permian (18)
Trilobites: Conocoryphidae (54); Lichadacea (47); Olenellidae (50); Cambrian (53, 54); Ordovician, Minnesota (59); Mississippian, Wyoming (5); Carboniferous (77).
Trinidad: Miocene Foraminifera (25).
Trochiliscids: Morrison, Wyoming (46).

Ungulate: *Euceratherium bizzelli*, Oklahoma (63).
Unuchinia: (57).

Venezuela: Tertiary Foraminifera (23, 25).
Vermes: earthworm (?), Paleocene, Wyoming (22).
Vermont: Cambrian trilobites (53).

Walchia beds: scorpion, Kansas (14).
Washington: Foraminifera, Tertiary, *Operculina* (13); pelecypods, Cretaceous, Tertiary (51); Gastropods, Mesozoic, Cenozoic, Epitoniidae (12), Eocene, *Harpa* (74).
Wedekindellina: Pennsylvanian, Kansas, Missouri (39).
West Indies: Foraminifera, Cretaceous, Tertiary (21).
Wyoming: Charophyta, Morrison (46); Paleocene earthworm (?) (22); Mississippian stratigraphy, fauna (5).